



SELLOS MECÁNICOS

GARNITURES MÉCANIQUES

107 NU-L60

MECHANICAL SEALS

GLEITRINGDICHTUNGEN

107 NU-L60



Sello mecánico de fuelle, no equilibrado, muelle simple, sentido de rotación independiente.
Garniture mécanique à soufflet, non équilibrée, ressort simple, sens de rotation indépendant.
Bellows mechanical seal, unbalanced, single spring, independent on direction of rotation.
Rollbalgdichtung, nicht entlastet, einfache Feder, drehrichtungsunabhängig.

TABLA DIMENSIONAL (Dimensiones en mm. sujetas a variaciones o modificaciones)

TABLEAU DIMENSIONNEL (Dimensions en mm. sujettes à variations ou modifications)

Ref.	d ₁	d ₃	d ₄	d ₆	d ₇	l _{1N}	l ₃	l ₄	l ₅	l ₆
10	10	22.5	25.0	17.0	21.0	40.0	33.4	6.6	1.5	4
12	12	25.0	27.5	19.0	23.0	40.0	33.4	6.6	1.5	4
14	14	28.5	32.0	21.0	25.0	40.0	33.4	6.6	1.5	4
16	16	28.5	32.0	23.0	27.0	40.0	33.4	6.6	1.5	4
18	18	32.0	34.5	27.0	33.0	45.0	37.5	7.5	2.0	4
20	20	37.0	39.5	29.0	35.0	45.0	37.5	7.5	2.0	5
22	22	37.0	39.5	31.0	37.0	45.0	37.5	7.5	2.0	5
24	24	42.5	45.0	33.0	39.0	50.0	42.5	7.5	2.0	5
25	25	42.5	45.0	34.0	40.0	50.0	42.5	7.5	2.0	5
28	28	49.0	51.5	37.0	43.0	50.0	42.5	7.5	2.0	5
30	30	49.0	51.5	39.0	45.0	50.0	42.5	7.5	2.0	5
32	32	53.5	56.0	42.0	48.0	55.0	47.5	7.5	2.0	5
33	33	53.5	56.0	42.0	48.0	55.0	47.5	7.5	2.0	5
35	35	57.0	59.5	44.0	50.0	55.0	47.5	7.5	2.0	5
38	38	59.0	61.5	49.0	56.0	55.0	46.0	9.0	2.0	6
40	40	62.0	64.5	51.0	58.0	55.0	46.0	9.0	2.0	6
43	43	65.5	68.0	54.0	61.0	60.0	51.0	9.0	2.0	6
45	45	68.0	70.5	56.0	63.0	60.0	51.0	9.0	2.0	6
48	48	70.5	73.0	59.0	66.0	60.0	51.0	9.0	2.0	6
50	50	74.0	74.5	62.0	70.0	60.0	50.5	9.5	2.5	6
53	53	78.5	82.5	65.0	73.0	70.0	59.0	11.0	2.5	6
55	55	81.0	85.0	67.0	75.0	70.0	59.0	11.0	2.5	6
58	58	85.5	89.5	70.0	78.0	70.0	59.0	11.0	2.5	6
60	60	88.5	92.5	72.0	80.0	70.0	59.0	11.0	2.5	6
65	65	93.5	97.5	77.0	85.0	80.0	69.0	11.0	2.5	6
68	68	96.5	100.5	81.0	90.0	80.0	68.7	11.3	2.5	7
70	70	99.5	103.5	83.0	92.0	80.0	68.7	11.3	2.5	7
75	75	107.0	111.0	88.0	97.0	80.0	68.7	11.3	2.5	7
80	80	112.0	116.0	95.0	105.0	90.0	78.0	12.0	3.0	7
85	85	120.0	124.0	100.0	110.0	90.0	76.0	14.0	3.0	7
90	90	127.0	131.0	105.0	115.0	90.0	76.0	14.0	3.0	7
95	95	132.0	136.0	110.0	120.0	90.0	76.0	14.0	3.0	7
100	100	137.0	141.0	115.0	125.0	90.0	76.0	14.0	3.0	7

DIMENSIONS TABLE (Measures in mm. subject to change)

TABELLE DER ABMESSUNGEN (In mm. Abweichungen oder Änderungen vorbehalten)



LIDERING, S.A.

Pg. Ferrocarrils Catalans, 106-108 • 08940 Cornellà de Llobregat BARCELONA

Domestic Sales: 902 480 440

International Sales: +34 93 480 44 22

Fax 93 480 44 04



Pollensa, 2, Ofic. 8. Edif. Artemisa - Tartessos

28290 Las Rozas MADRID

Tel. 902 480 440 • Fax 91 361 40 20

LIDERING, S.A.R.L.

Parc des Aqueducs • Chemin du Favier RD 42 • 69230 Saint-Genis-Laval FRANCE

Tél. 04 72 67 02 67 • Fax 04 78 56 04 08

LIDERING, GmbH

Schiessstraße, 55 • 40549 Düsseldorf DEUTSCHLAND

Tel. 00 34 93 480 44 22 • Fax 00 34 93 480 44 04

S.A. LIDERING N.V.

BP 10 • 1410 Waterloo BELGIQUE-BELGIË

Tél. 00 34 93 480 44 22 • Fax 00 34 93 480 44 04

<http://www.lidering.com>

email: info@lidering.com