




Sierras para máquinas

SIERRA DE CINTA

Sierra cinta Easy Cut
Dentado patentado multiuso





3857 Easy-Cut



mm	Dentado	€		
13 x 0.6	S	7,10	1	3857-13-0.6-EZ-S
13 x 0.6	M	7,10	1	3857-13-0.6-EZ-M
13 x 0.6	L	7,10	1	3857-13-0.6-EZ-L
20 x 0.9	S	7,90	1	3857-20-0.9-EZ-S
20 x 0.9	M	7,90	1	3857-20-0.9-EZ-M
20 x 0.9	L	7,90	1	3857-20-0.9-EZ-L
27 x 0.9	S	9,00	1	3857-27-0.9-EZ-S
27 x 0.9	M	9,00	1	3857-27-0.9-EZ-M
27 x 0.9	L	9,00	1	3857-27-0.9-EZ-L
34 x 1.1	S	11,05	1	3857-34-1.1-EZ-S
34 x 1.1	M	11,50	1	3857-34-1.1-EZ-M
34 x 1.1	L	11,05	1	3857-34-1.1-EZ-L

Sandflex® Cobra™



3851 Contour and small machine



mm	Dentado	€		
6 x 0.6	6 H	6,56	1	3851-6-0.6-H-6
6 x 0.6	10/14	6,56	1	3851-6-0.6-10/14
6 x 0.9	6 H	6,56	1	3851-6-0.9-H-6
6 x 0.9	10/14	6,56	1	3851-6-0.9-10/14
10 x 0.6	4 H	6,56	1	3851-10-0.6-H-4
10 x 0.6	6 H	6,56	1	3851-10-0.6-H-6
10 x 0.6	10/14	6,56	1	3851-10-0.6-10/14
10 x 0.9	4 H	6,56	1	3851-10-0.9-H-4
10 x 0.9	6 H	6,56	1	3851-10-0.9-H-6
10 x 0.9	10/14	6,56	1	3851-10-0.9-10/14
13 x 0.5	10 R	6,56	1	3851-13-0.5-R-10
13 x 0.5	10/14	6,56	1	3851-13-0.5-10/14
13 x 0.5	14 R	6,56	1	3851-13-0.5-R-14
13 x 0.5	14/18	6,56	1	3851-13-0.5-14/18
13 x 0.5	18 R	6,56	1	3851-13-0.5-R-18
13 x 0.5	24 R	6,56	1	3851-13-0.5-R-24
13 x 0.6	5/8 PR	6,56	1	3851-13-0.6-5/8

mm	Dentado	€		
13 x 0.6	6/10	6,56	1	3851-13-0.6-6/10
13 x 0.6	8/12	6,56	1	3851-13-0.6-8/12
13 x 0.6	10/14	6,56	1	3851-13-0.6-10/14
13 x 0.6	4 H	6,56	1	3851-13-0.6-H-4
13 x 0.6	6 H	6,56	1	3851-13-0.6-H-6
13 x 0.9	6/10	6,56	1	3851-13-0.9-6/10
13 x 0.9	10/14	6,56	1	3851-13-0.9-10/14
13 x 0.9	3 H	6,56	1	3851-13-0.9-H-3
13 x 0.9	4 H	6,56	1	3851-13-0.9-H-4
20 x 0.9	4/6 PR	6,70	1	3851-20-0.9-4/6
20 x 0.9	5/8 PR	6,70	1	3851-20-0.9-5/8
20 x 0.9	6/10	6,70	1	3851-20-0.9-6/10
20 x 0.9	8/12	6,70	1	3851-20-0.9-8/12
20 x 0.9	10/14	6,70	1	3851-20-0.9-10/14
27 x 0.9	2/3 PR	6,80	1	3851-27-0.9-2/3
27 x 0.9	3/4 PR	6,80	1	3851-27-0.9-3/4
27 x 0.9	4/6 PR	6,80	1	3851-27-0.9-4/6
27 x 0.9	5/8 PR	6,80	1	3851-27-0.9-5/8
27 x 0.9	6/10	6,80	1	3851-27-0.9-6/10
27 x 0.9	8/12	6,80	1	3851-27-0.9-8/12
27 x 0.9	10/14	6,80	1	3851-27-0.9-10/14

Sandflex® Cobra™





3851 Sandflex® Cobra™

mm	DPP	€		
34x1.1	2/3 PR	10,15	1	3851-34-1.1-2/3
34x1.1	3/4 PR	10,15	1	3851-34-1.1-3/4
34x1.1	4/6 PR	10,15	1	3851-34-1.1-4/6
34x1.1	5/8 PR	10,15	1	3851-34-1.1-5/8
34x1.1	6/10	10,15	1	3851-34-1.1-6/10
41X1.3	1.4/2 PR	13,54	1	3851-41-1.3-1.4/2
41X1.3	2/3 PR	13,54	1	3851-41-1.3-2/3
41X1.3	3/4 PR	13,54	1	3851-41-1.3-3/4
41X1.3	4/6 PR	13,54	1	3851-41-1.3-4/6
41X1.3	5/8 PR	13,54	1	3851-41-1.3-5/8
54X1.3	2/3 PR	18,68	1	3851-54-1.3-2/3
54X1.3	3/4 PR	18,68	1	3851-54-1.3-3/4
54X1.3	4/6 PR	18,68	1	3851-54-1.3-4/6
54X1.6	1/1.4 PR	21,16	1	3851-54-1.6-1/1.4
54X1.6	1.4/2 PR	21,16	1	3851-54-1.6-1.4/2
54X1.6	2/3 PR	21,16	1	3851-54-1.6-2/3
54X1.6	3/4 PR	21,16	1	3851-54-1.6-3/4
67X1.6	0.7/1 PS	26,58	1	3851-67-1.6-7/1
67X1.6	1/1.4 PR	26,58	1	3851-67-1.6-1/1.4
67X1.6	3/4 PR	26,58	1	3851-67-1.6-3/4
67X1.6	4/6 PR	26,58	1	3851-67-1.6-4/6
80X1.6	0.7/1 PR	39,91	1	3851-80-1.6-7/1
80X1.6	1/1.4 PR	39,91	1	3851-80-1.6-1/1.4
80x1.6	1.4/2 PR	39,91	1	3851-80-1.6-1.4/2

Sandflex® Cobra™ PSG





3851-Sandflex® Cobra™ PSG

mm	Dentado	€		
27 x 0.9	2/3 PSG	10,48	1	3851-27-0.9-PSG-2/3
27 x 0.9	3/4 PSG	10,48	1	3851-27-0.9-PSG-3/4
27 x 0.9	4/6 PSG	10,48	1	3851-27-0.9-PSG-4/6
34 x 1.1	2/3 PSG	12,17	1	3851-34-1.1-PSG-2/3
34 x 1.1	3/4 PSG	12,17	1	3851-34-1.1-PSG-3/4
34 x 1.1	4/6 PSG	12,17	1	3851-34-1.1-PSG-4/6
41 x 1.3	1.4/2 PSG	16,86	1	3851-41-1.3-PSG-1.4/2
41 x 1.3	2/3 PSG	16,86	1	3851-41-1.3-PSG-2/3
41 x 1.3	3/4 PSG	16,86	1	3851-41-1.3-PSG-3/4
41 x 1.3	4/6 PSG	16,86	1	3851-41-1.3-PSG-4/6
54 x 1.6	1.4/2 PSG	25,97	1	3851-54-1.6-PSG-1.4/2
54 x 1.6	2/3 PSG	25,97	1	3851-54-1.6-PSG-2/3
54 x 1.6	3/4 PSG	25,97	1	3851-54-1.6-PSG-3/4

Sandflex® King Cobra™ PHG





3854-Sandflex® King Cobra™ PHG

mm	Dentado	€		
27 x 0.9	3/4 PHG	10,65	1	3854-27-0.9-PHG-3/4
27 x 0.9	4/6 PHG	10,65	1	3854-27-0.9-PHG-4/6
34 x 1.1	1.4/2 PHG	12,58	1	3854-34-1.1-PHG-1.4/2
34 x 1.1	2/3 PHG	12,58	1	3854-34-1.1-PHG-2/3
34 x 1.1	3/4 PHG	12,58	1	3854-34-1.1-PHG-3/4
34 x 1.1	4/6 PHG	12,58	1	3854-34-1.1-PHG-4/6
41 x 1.3	1.4/2 PHG	17,29	1	3854-41-1.3-PHG-1.4/2
41 x 1.3	2/3 PHG	17,29	1	3854-41-1.3-PHG-2/3
41 x 1.3	3/4 PHG	17,29	1	3854-41-1.3-PHG-3/4
41 x 1.3	4/6 PHG	17,29	1	3854-41-1.3-PHG-4/6
54 x 1.6	.7/1 PHG	25,09	1	3854-54-1.6-PHG-.7/1
54 x 1.6	1.4/2 PHG	25,09	1	3854-54-1.6-PHG-1.4/2
54 x 1.6	2/3 PHG	25,09	1	3854-54-1.6-PHG-2/3
67 x 1.6	.7/1 PHG	27,76	1	3854-67-1.6-PHG-.7/1
67 x 1.6	1/1.4 PHG	27,76	1	3854-67-1.6-PHG-1/1.4
67 x 1.6	1.4/2 PHG	27,76	1	3854-67-1.6-PHG-1.4/2
67 x 1.6	2/3 PHG	27,76	1	3854-67-1.6-PHG-2/3

Sandflex® King Cobra™ PQ





3854-Sandflex® King Cobra™ PQ

mm	Dentado	€		
27x0.9	3/4 PQ	10,65	1	3854-27-0.9-PQ-3/4
27x0.9	4/6 PQ	10,65	1	3854-27-0.9-PQ-4/6
34x1.1	2/3 PQ	12,58	1	3854-34-1.1-PQ-2/3
34x1.1	3/4 PQ	12,58	1	3854-34-1.1-PQ-3/4
41x1.3	4/6 PQ	12,58	1	3854-34-1.1-PQ-4/6
41x1.3	1.4/2 PQ	17,29	1	3854-41-1.3-PQ-1.4/2
41x1.3	2/3 PQ	17,29	1	3854-41-1.3-PQ-2/3
41x1.3	3/4 PQ	17,29	1	3854-41-1.3-PQ-3/4
41x1.3	4/6 PQ	17,29	1	3854-41-1.3-PQ-4/6
54x1.6	.9/1.2 PQ	25,09	1	3854-54-1.6-PQ-.9/1.2
54x1.6	1.4/2 PQ	25,09	1	3854-54-1.6-PQ-1.4/2
54x1.6	2/3 PQ	25,09	1	3854-54-1.6-PQ-2/3
54x1.6	3/4 PQ	25,09	1	3854-54-1.6-PQ-3/4
67x1.6	.9/1.2 PQ	27,76	1	3854-67-1.6-PQ-.9/1.2
67x1.6	1.4/2 PQ	27,76	1	3854-67-1.6-PQ-1.4/2
67x1.6	2/3 PQ	27,76	1	3854-67-1.6-PQ-2/3
80x1.6	.9/1.2 PQ	44,54	1	3854-80-1.6-PQ-.9/1.2

Carbide Triple Set® "Xtra"™



3868 Carbide Triple Set® TSX

mm	Dentado	€		
34x1.1	2/3 TSX	51,67	1	3868-34-1.1-TSX-2/3
34x1.1	3/4 TSX	64,28	1	3868-34-1.1-TSX-3/4
41x1.3	1.4/2 TSX	52,82	1	3868-41-1.3-TSX-1.4/2
41x1.3	1,6 TSX	48,57	1	3868-41-1.3-TSX-1.6
41x1.3	2/3 TSX	56,03	1	3868-41-1.3-TSX-2/3
41x1.3	3/4 TSX	68,92	1	3868-41-1.3-TSX-3/4
54x1.3	1.4/2 TSX	68,45	1	3868-54-1.3-TSX-1.4/2
54x1.6	1/1.25 TSX	69,78	1	3868-54-1.6-TSX-1/1.25
54x1.6	1.4/2 TSX	76,24	1	3868-54-1.6-TSX-1.4/2
54x1.6	1.6 TSX	70,26	1	3868-54-1.6-TSX-1.6
54x1.6	2/3 TSX	69,78	1	3868-54-1.6-TSX-2/3
54x1.6	3/4 TSX	75,91	1	3868-54-1.6-TSX-3/4
67x1.6	.7/1 TSX	92,73	1	3868-67-1.6-TSX-.7/1
67x1.6	1/1.25 TSX	96,66	1	3868-67-1.6-TSX-1/1.25
67x1.6	1.4/2 TSX	97,44	1	3868-67-1.6-TSX-1.4/2
67x1.6	2/3 TSX	99,98	1	3868-67-1.6-TSX-2/3
80x1.6	.7/1 TSX	106,88	1	3868-80-1.6-TSX-.7/1
80x1.6	2/3 TSX	111,95	1	3868-80-1.6-TSX-2/3

Carbide TSS Triple Set





3868 Carbide Triple Set® TSS

mm	Dentado	€		
34x1.1	2/3 TSS	54,21	1	3868-34-1.1-TSS-2/3
41x1.3	1.4/5 TSS	55,46	1	3868-41-1.3-TSS-1.4/2
41x1.3	2/3 TSS	58,83	1	3868-41-1.3-TSS-2/3
54x1.6	1/1.25 TSS	73,27	1	3868-54-1.6-TSS-1/1.25
54x1.6	1.4/2 TSS	80,03	1	3868-54-1.6-TSS-1.4/2
67x1.6	.7/1 TSS	100,99	1	3868-67-1.6-TSS-.7/1
67x1.6	1/1.25 TSS	100,00	1	3868-67-1.6-TSS-1/1.25
67x1.6	1.4/2 TSS	103,83	1	3868-67-1.6-TSS-1.4/2
67x1.6	2/3 TSS	106,58	1	3868-67-1.6-TSS-2/3
80x1.6	.7/1 TSS	111,04	1	3868-80-1.6-TSS-.7/1
80x1.6	1.4/2 TSS	114,19	1	3868-80-1.6-TSS-1.4/2


3881 Carbide Multi Chip THQ





3881 Carbide Multi Set THQ

mm	DPP	€		
34 x 1.1	2/3 THQ	72,01	1	3881-34-1.1-THQ-2/3
41 x 1.3	1.4/2 THQ	72,88	1	3881-41-1.3-THQ-1.4/2
41 x 1.3	2/3 THQ	77,32	1	3881-41-1.3-THQ-2/3
54 x 1.6	1.4/2 THQ	87,67	1	3881-54-1.6-THQ-1.4/2
54 x 1.6	2/3 THQ	92,28	1	3881-54-1.6-THQ-2/3
67 x 1.6	1.4/2 THQ	112,06	1	3881-67-1.6-THQ-1.4/2
80 x 1.6	1/1.25 THQ	128,26	1	3881-80-1.6-THQ-1/1.25

3881 Carbide Multi Chip THS





3881 Carbide Multi Set THS

mm	Dentado	€		
41x1.3	1.4/2 THS	76,05	1	3881-41-1.3-THS-1.4/2
54x1.6	1/1.25 THS	95,88	1	3881-54-1.6-THS-1/1.25
54x1.6	1.4/2 THS	99,67	1	3881-54-1.6-THS-1.4/2
67x1.6	1/1.25 THS	115,98	1	3881-67-1.6-THS-1/1.25
67x1.6	1.4/2 THS	115,98	1	3881-67-1.6-THS-1.4/2
67x1.6	2/3 THS	119,97	1	3881-67-1.6-THS-2/3
80x1.6	.7/1 THS	128,26	1	3881-80-1.6-THS-.7/1
80x1.6	1.4/2 THS	136,52	1	3881-80-1.6-THS-1.4/2
80x1.6	2/3 THS	133,57	1	3881-80-1.6-THS-2/3

Sierra cinta 3860 Carbide dentado especial para Titanio



3860 Unset Carbide TMC

mm	DPP	€		
41x1.3	1.4/2 TMC	87,80	1	3860-41-1.3-TMC-1.4/2
41x1.3	2/3 TMC	92,37	1	3860-41-1.3-TMC-2/3
54x1.6	1/1.25 TMC	105,16	1	3860-54-1.6-TMC-1/1.25
54x1.6	1.4/2 TMC	101,39	1	3860-54-1.6-TMC-1.4/2
54x1.6	2/3 TMC	134,94	1	3860-54-1.6-TMC-2/3
67x1.6	1/1.25 TMC	145,66	1	3860-67-1.6-TMC-1/1.25
67x1.6	1.4/2 TMC	146,83	1	3860-67-1.6-TMC-1.4/2
67x1.6	2/3 TMC	172,48	1	3860-67-1.6-TMC-2/3
67x1.6	.7/1 TMC	161,06	1	3860-80-1.6-TMC-.7/1
80x1.6	1/1.25 TMC	164,53	1	3860-80-1.6-TMC-1/1.25
80x1.6	1.4/2 TMC	172,26	1	3860-80-1.6-TMC-1.4/2
80x1.6	2/3 TMC	183,08	1	3860-80-1.6-TMC-2/3

3860 TCT - Sierra cinta Metal Duro sin triscado



3860 Unset Carbide TCT

mm	DPP	€		
27x0.9	3 TCT	127,13	1	3860-27-0.9-TCT-3
27x0.9	3/4 TCT	128,83	1	3860-27-0.9-TCT-3/4
34x1.1	2/3 TCT	94,31	1	3860-34-1.1-TCT-2/3
34x1.1	3/4 TCT	117,46	1	3860-34-1.1-TCT-3/4
41x1.3	1.4/2 TCT	85,18	1	3860-41-1.3-TCT-1.4/2
41x1.3	1.9/2.1 TCT	91,31	1	3860-41-1.3-TCT-1.9/2.1
41x1.3	2/3 TCT	93,61	1	3860-41-1.3-TCT-2/3
41x1.3	2/3 TCT	112,75	1	3860-41-1.3-TCT-3/4
54x1.6	1.4/2 TCT	98,13	1	3860-54-1.6-TCT-1.4/2
54x1.6	2/3 TCT	107,46	1	3860-54-1.6-TCT-2/3
54x1.6	3/4 TCT	120,18	1	3860-54-1.6-TCT-3/4

3860 TCZ - Sierra cinta metal duro sin triscado



3860 Unset Carbide TCZ

mm	TPI	€		
34x1.1	2/3 TCZ	93,73	1	3860-34-1.1-TCZ-2/3
34x1.1	3/4 TCZ	111,04	1	3860-34-1.1-TCZ-3/4
41x1.3	2/3 TCZ	91,37	1	3860-41-1.3-TCZ-2/3
41x1.3	3/4 TCZ	113,51	1	3860-41-1.3-TCZ-3/4

Dentado especial para corte
barras tratadas al cromo duro

3860 TCA- Sierra cinta sin triscado multiviruta



3860 Unset Carbide TCA

mm	TPI	€		
27x0.9	2 TCA	90,75	1	3860-27-0.9-TCA-2
27x0.9	3 TCA	114,59	1	3860-27-0.9-TCA-3
34x1.1	2 TCA	91,14	1	3860-34-1.1-TCA-2
34x1.1	2/3 TCA	94,31	1	3860-34-1.1-TCA-2/3
34x1.1	3 TCA	112,73	1	3860-34-1.1-TCA-3
41x1.3	1.4/2 TCA	85,54	1	3860-41-1.3-TCA-1.4/2
41x1.3	2/3 TCA	99,85	1	3860-41-1.3-TCA-2/3
54x1.6	1/1.25 TCA	93,79	1	3860-54-1.6-TCA-1/1.25
54x1.6	1.4/2 TCA	98,13	1	3860-54-1.6-TCA-1.4/2

Geometría del dentado especial para aluminio


Sandflex® Top Fabricator





3853 Sandflex® Top Fabricator

mm	Dentado	€		
27 x 0.9	3/4 PF	9,00	1	3853-27-0.9-3/4
27 x 0.9	4/6 PF	9,00	1	3853-27-0.9-4/6
27 x 0.9	5/8 PF	9,00	1	3853-27-0.9-5/8
34 x 1.1	2/3 PF	11,22	1	3853-34-1.1-2/3
34 x 1.1	3/4 PF	11,22	1	3853-34-1.1-3/4
34 x 1.1	4/6 PF	11,22	1	3853-34-1.1-4/6
34 x 1.1	5/8 PF	11,22	1	3853-34-1.1-5/8
41 x 1.3	2/3 PF	14,77	1	3853-41-1.3-2/3
41 x 1.3	3/4 PF	14,77	1	3853-41-1.3-3/4
41 x 1.3	4/6 PF	14,77	1	3853-41-1.3-4/6
41 x 1.3	5/8 PF	14,77	1	3853-41-1.3-5/8
54 x 1.6	2/3 PF	21,72	1	3853-54-1.6-2/3
54 x 1.6	3/4 PF	21,72	1	3853-54-1.6-3/4
54 x 1.6	4/6 PF	21,72	1	3853-54-1.6-4/6
67 x 1.6	2/3 PF	29,66	1	3853-67-1.6-2/3
67 x 1.6	3/4 PF	29,66	1	3853-67-1.6-3/4

Sandflex® Cobra™ Fundición





3851 Sandflex® Cobra™ Foundry

mm	Paso dentad	€		
13x0.6	HA-4	6,56	1	3851-13-0.6-HA-4
13x0.6	HA-6	6,56	1	3851-13-0.6-HA-6
13x0.9	HA-4	6,56	1	3851-13-0.9-HA-4
20x0.9	HA-3	6,70	1	3851-20-0.9-HA-3
27x0.9	HA-2	6,80	1	3851-27-0.9-HA-2
27x0.9	HA-3	6,80	1	3851-27-0.9-HA-3

Carbide Triple Set



3869 Carbide Triple Set®



mm	Dentado	€		
13 x 0.9	3 TS	58,41	1	3869-13-0.9-TS-3
20 x 0.9	3 TS	60,28	1	3869-20-0.9-TS-3
20 x 0.9	4 TS	77,02	1	3869-20-0.9-TS-4
27 x 0.9	3 TS	60,28	1	3869-27-0.9-TS-3
27 x 0.9	4 TS	88,16	1	3869-27-0.9-TS-4
29 x 1.1	2 TS	62,32	1	3869-29-1.1-TS-2
34 x 1.1	3 TS	64,29	1	3869-34-1.1-TS-3

AYUDAS PARA EL CORTE DE SIERRA CINTA

Cepillo de virutas



3870-BRUSH

Cantidad	Peso g	€		
4	50	18,50	4	3870-BRUSH-60-6
4	50	21,45	4	3870-BRUSH-80-6
4	50	21,45	4	3870-BRUSH-80-8
4	50	21,45	4	3870-BRUSH-80-10
4	130	27,47	4	3870-BRUSH-100-10
4	130	27,47	4	3870-BRUSH-100-12

Tacómetro



3870-TACHO

Cantidad	Peso g	€		
1	400	544,10	1	3870-TACHO METER

Tensiómetro



3870-TENSION

Peso g	€		
680	391,55	1	3870-TENSION METER

Refractómetro



3870-REFR

Peso g	€		
260	106,86	1	3870-REFRACTOMETER

BandCalc™



3870-CALC

Peso g	€		
45	65,41	1	3870-BANDCALC

Cuña metálica larga, 75mm



3870-WEDGE

Pack qty	Weight g	€		
5	60	12,47	1	3870-WEDGE-3



HOJAS DE SIERRA DE MÁQUINA

Hoja de sierra para máquinas
Sanflex® Bi-metal



3809


mm	DPP	€		
300x25x1.25	10	7,61	10	3809-300-25-1.25-10
300x25x1.25	14	7,61	10	3809-300-25-1.25-14
300x32x1.60	6	10,82	10	3809-300-32-1.60-6
300x32x1.60	10	10,82	10	3809-300-32-1.60-10
350x25x1.25	6	8,88	10	3809-350-25-1.25-6
350x25x1.25	10	8,88	10	3809-350-25-1.25-10
350x25x1.25	14	8,88	10	3809-350-25-1.25-14
350x32x1.60	4	11,71	10	3809-350-32-1.60-4
350x32x1.60	6	11,71	10	3809-350-32-1.60-6
350x32x1.60	8	11,71	10	3809-350-32-1.60-8
350x32x1.60	10	11,71	10	3809-350-32-1.60-10
350x32x1.60	14	11,71	10	3809-350-32-1.60-14
350x32x2.00	4	15,68	10	3809-350-32-2.00-4
350x32x2.00	6	15,68	10	3809-350-32-2.00-6
350x32x2.00	10	15,68	10	3809-350-32-2.00-10
350x38x2.00	6	19,65	10	3809-350-38-2.00-6
350x38x2.00	10	19,65	10	3809-350-38-2.00-10
400x25x1.25	10	11,30	10	3809-400-25-1.25-10
400x32x1.60	4	14,87	10	3809-400-32-1.60-4
400x32x1.60	6	14,87	10	3809-400-32-1.60-6
400x32x1.60	8	14,87	10	3809-400-32-1.60-8
400x32x1.60	10	14,87	10	3809-400-32-1.60-10
400x32x1.60	14	14,87	10	3809-400-32-1.60-14
400x32x2.00	4	17,45	10	3809-400-32-2.00-4
400x32x2.00	6	17,45	10	3809-400-32-2.00-6
400x32x2.00	8	17,45	10	3809-400-32-2.00-8
400x32x2.00	10	17,45	10	3809-400-32-2.00-10
400x38x2.00	4	19,88	10	3809-400-38-2.00-4



mm	DPP	€		
400x38x2.00	6	19,88	10	3809-400-38-2.00-6
400x38x2.00	10	19,88	10	3809-400-38-2.00-10
425x32x1.60	6	17,56	10	3809-425-32-1.60-6
425x32x1.60	10	19,88	10	3809-425-32-1.60-10
450x32x1.60	4	18,58	10	3809-450-32-1.60-4
450x32x1.60	6	18,58	10	3809-450-32-1.60-6
450x32x1.60	10	18,58	10	3809-450-32-1.60-10
450x32x1.60	14	18,58	10	3809-450-32-1.60-14
450x32x2.00	4	21,90	10	3809-450-32-2.00-4
450x32x2.00	6	21,90	10	3809-450-32-2.00-6
450x32x2.00	10	21,90	10	3809-450-32-2.00-10
450x38x2.00	4	24,90	10	3809-450-38-2.00-4
450x38x2.00	6	24,90	10	3809-450-38-2.00-6
450x38x2.00	8	24,90	10	3809-450-38-2.00-8
450x38x2.00	10	24,90	10	3809-450-38-2.00-10
450x45x2.25	4	31,19	10	3809-450-45-2.25-4
450x45x2.25	6	31,19	10	3809-450-45-2.25-6
475x45x2.25	6	36,05	10	3809-475-45-2.25-6
500x38x2.00	4	29,09	10	3809-500-38-2.00-4
500x38x2.00	6	29,09	10	3809-500-38-2.00-6
500x38x2.00	10	29,09	10	3809-500-38-2.00-10
500x45x2.25	4	37,26	10	3809-500-45-2.25-4
500x45x2.25	6	37,26	10	3809-500-45-2.25-6
500x50x2.50	4	44,04	10	3809-500-50-2.50-4
500x50x2.50	6	44,04	10	3809-500-50-2.50-6
500x50x2.50	8	44,04	10	3809-500-50-2.50-8
525x38x2.00	6	30,40	10	3809-525-38-2.00-6
525x38x2.00	10	30,40	10	3809-525-38-2.00-10
525x45x2.25	4	38,96	10	3809-525-45-2.25-4
525x45x2.25	6	38,96	10	3809-525-45-2.25-6
550x45x2.25	4 *	40,98	10	3809-550-45-2.25-4
550x45x2.25	6 *	40,98	10	3809-550-45-2.25-6
550x50x2.50	4	48,83	10	3809-550-50-2.50-4
550x50x2.50	6	48,83	10	3809-550-50-2.50-6
575x45x2.25	4	44,61	10	3809-575-45-2.25-4
575x50x2.50	3	50,92	10	3809-575-50-2.50-3
575x50x2.50	4	50,92	10	3809-575-50-2.50-4
575x50x2.50	6	50,92	10	3809-575-50-2.50-6
600x38x2.00	6	36,20	10	3809-600-38-2.00-6
600x45x2.25	4	44,78	10	3809-600-45-2.25-4
600x45x2.25	6	44,78	10	3809-600-45-2.25-6
600x50x2.50	3	54,15	10	3809-600-50-2.50-3
600x50x2.50	4	54,15	10	3809-600-50-2.50-4
600x50x2.50	6	54,15	10	3809-600-50-2.50-6
650x50x2.50	4	60,30	5	3809-650-50-2.50-4
650x50x2.50	6	60,30	5	3809-650-50-2.50-6
700x50x2.50	4	65,86	5	3809-700-50-2.50-4
700x50x2.50	6	65,86	5	3809-700-50-2.50-6
750x50x2.50	4	76,87	5	3809-750-50-2.50-4
750x50x2.50	6	76,87	5	3809-750-50-2.50-6

SANDFLEX® Bi-metal hoja de sierra para máquina KASTO



3809 KA



mm	DPP	€		
400x32x2.00	6	17,47	10	3809-400-32-2.00-6-KA
450x38x2.00	4	24,90	10	3809-450-38-2.00-4-KA
450x38x2.00	6	24,90	10	3809-450-38-2.00-6-KA



mm	DPP	€		
450x38x2.00	10	24,90	10	3809-450-38-2.00-10-KA
500x45x2.25	6	37,26	10	3809-500-45-2.25-6-KA
500x50x2.50	4	44,04	10	3809-500-50-2.50-4-KA
500x50x2.50	6	44,04	10	3809-500-50-2.50-6-KA
550x50x2.50	4	48,83	10	3809-550-50-2.50-4-KA
550x50x2.50	6	48,83	10	3809-550-50-2.50-6-KA
575x50x2.50	3	50,92	10	3809-575-50-2.50-3-KA
575x50x2.50	4	50,92	10	3809-575-50-2.50-4-KA
575x50x2.50	6	50,92	10	3809-575-50-2.50-6-KA
575x50x2.50	10	50,92	10	3809-575-50-2.50-10-KA
600x50x2.50	4	54,15	10	3809-600-50-2.50-4-KA
600x50x2.50	6	54,15	10	3809-600-50-2.50-6-KA
650x50x2.50	3	60,30	5	3809-650-50-2.50-3-KA
650x50x2.50	4	60,30	5	3809-650-50-2.50-4-KA
650x50x2.50	6	60,30	5	3809-650-50-2.50-6-KA
700x50x2.50	3	65,86	5	3809-700-50-2.50-3-KA
700x50x2.50	4	65,86	5	3809-700-50-2.50-4-KA
700x50x2.50	6	65,86	5	3809-700-50-2.50-6-KA

Hoja de sierra para máquinas HSS



3802



mm	DPP	€		
300x25x1.25	6	8,44	10	3802-300-25-1.25-6
300x25x1.25	10	8,44	10	3802-300-25-1.25-10
300x25x1.25	14	8,44	10	3802-300-25-1.25-14
300x32x1.60	6	12,12	10	3802-300-32-1.60-6
300x32x1.60	10	12,12	10	3802-300-32-1.60-10
350x25x1.25	6	9,92	10	3802-350-25-1.25-6
350x25x1.25	10	9,92	10	3802-350-25-1.25-10
350x25x1.25	14	9,92	10	3802-350-25-1.25-14
350x32x1.60	4	13,01	10	3802-350-32-1.60-4
350x32x1.60	6	13,01	10	3802-350-32-1.60-6
350x32x1.60	8	11,82	10	3802-350-32-1.60-8
350x32x1.60	10	13,01	10	3802-350-32-1.60-10
350x32x1.60	14	13,01	10	3802-350-32-1.60-14
400x25x1.25	6	12,65	10	3802-400-25-1.25-6
400x25x1.25	10	12,65	10	3802-400-25-1.25-10
400x25x1.25	14	12,65	10	3802-400-25-1.25-14
400x32x1.60	4	16,51	10	3802-400-32-1.60-4
400x32x1.60	6	16,51	10	3802-400-32-1.60-6
400x32x1.60	8	16,51	10	3802-400-32-1.60-8
400x32x1.60	10	16,51	10	3802-400-32-1.60-10
400x32x1.60	14	16,51	10	3802-400-32-1.60-14
400x38x2.00	4	22,05	10	3802-400-38-2.00-4
400x38x2.00	6	22,05	10	3802-400-38-2.00-6
400x38x2.00	10	22,05	10	3802-400-38-2.00-10
425x32x1.60	6	19,59	10	3802-425-32-1.60-6
425x32x1.60	10	19,94	10	3802-425-32-1.60-10
450x32x1.60	4	20,64	10	3802-450-32-1.60-4
450x32x1.60	6	20,64	10	3802-450-32-1.60-6

mm	DPP	€		
450x32x1.60	10	20,64	10	3802-450-32-1.60-10
450x32x1.60	14	20,64	10	3802-450-32-1.60-14
450x38x2.00	4	27,67	10	3802-450-38-2.00-4
450x38x2.00	6	27,67	10	3802-450-38-2.00-6
450x38x2.00	8	27,67	10	3802-450-38-2.00-8
450x38x2.00	10	27,67	10	3802-450-38-2.00-10
475x38x2.00	8	28,10	10	3802-475-38-2.00-8
500x38x2.00	4	32,51	10	3802-500-38-2.00-4
500x38x2.00	6	32,51	10	3802-500-38-2.00-6
500x38x2.00	8	32,51	10	3802-500-38-2.00-8
500x38x2.00	10	32,51	10	3802-500-38-2.00-10
500x50x2.50	4	49,03	10	3802-500-50-2.50-4
500x50x2.50	6	49,03	10	3802-500-50-2.50-6
525x38x2.00	6	33,82	10	3802-525-38-2.00-6
525x38x2.00	8	29,70	10	3802-525-38-2.00-8
525x38x2.00	10	33,82	10	3802-525-38-2.00-10
550x38x2.00	6	31,81	10	3802-550-38-2.00-6
550x50x2.50	4	54,20	10	3802-550-50-2.50-4
550x50x2.50	6	54,20	10	3802-550-50-2.50-6
550x50x2.50	8	54,20	10	3802-550-50-2.50-8
550x50x2.50	10	54,20	10	3802-550-50-2.50-10
575x50x2.50	4	56,66	10	3802-575-50-2.50-4
575x50x2.50	6	56,66	10	3802-575-50-2.50-6
600x50x2.50	4	60,35	10	3802-600-50-2.50-4
600x50x2.50	6	60,35	10	3802-600-50-2.50-6
600x50x2.50	8	60,35	10	3802-600-50-2.50-8
650x50x2.50	4	67,12	5	3802-650-50-2.50-4
650x50x2.50	6	67,12	5	3802-650-50-2.50-6
700x50x2.50	3	64,48	5	3802-700-50-2.50-3
700x50x2.50	4	73,36	5	3802-700-50-2.50-4
700x50x2.50	6	73,36	5	3802-700-50-2.50-6
750x50x2.50	4	85,56	5	3802-750-50-2.50-4
750x50x2.50	6	78,14	5	3802-750-50-2.50-6

Hoja de sierra para máquinas KASTO HSS



3802 KA

mm	DPP	€		
450x38x2.00	4	27,67	10	3802-450-38-2.00-4-KA
450x38x2.00	6	27,67	10	3802-450-38-2.00-6-KA
450x38x2.00	8	27,67	10	3802-450-38-2.00-8-KA
450x38x2.00	10	27,67	10	3802-450-38-2.00-10-KA
500x50x2.50	4	49,03	10	3802-500-50-2.50-4-KA
500x50x2.50	6	49,03	10	3802-500-50-2.50-6-KA
550x50x2.50	4	54,20	10	3802-550-50-2.50-4-KA
550x50x2.50	8	54,20	10	3802-550-50-2.50-8-KA
575x50x2.50	3	56,66	10	3802-575-50-2.50-3-KA
575x50x2.50	4	56,66	10	3802-575-50-2.50-4-KA
575x50x2.50	6	56,66	10	3802-575-50-2.50-6-KA
650x50x2.50	4	67,12	5	3802-650-50-2.50-4-KA
650x50x2.50	6	61,26	5	3802-650-50-2.50-6-KA
700x50x2.50	2	64,48	5	3802-700-50-2.50-2-KA
700x50x2.50	4	73,36	5	3802-700-50-2.50-4-KA
700x50x2.50	6	73,36	5	3802-700-50-2.50-6-KA

CORONAS DE SIERRA

Corona de sierra Sandflex® Bi-metal



3830-VIP

Ø mm	€		
14	9,21	6	3830-14-VIP
16	9,21	6	3830-16-VIP
17	9,21	6	3830-17-VIP
19	9,21	6	3830-19-VIP
20	9,21	6	3830-20-VIP
21	9,21	6	3830-21-VIP
22	9,21	6	3830-22-VIP
24	9,21	6	3830-24-VIP
25	9,74	6	3830-25-VIP
27	10,31	6	3830-27-VIP
29	10,31	6	3830-29-VIP
30	10,31	6	3830-30-VIP
32	10,31	6	3830-32-VIP
33	10,31	6	3830-33-VIP
35	11,57	6	3830-35-VIP
37	11,57	6	3830-37-VIP
38	11,57	6	3830-38-VIP
40	11,57	6	3830-40-VIP
41	11,57	6	3830-41-VIP
43	11,57	6	3830-43-VIP
44	13,40	6	3830-44-VIP
46	13,40	6	3830-46-VIP
48	13,40	6	3830-48-VIP
50	13,40	6	3830-50-VIP
51	13,40	6	3830-51-VIP
52	16,14	4	3830-52-VIP
54	16,14	4	3830-54-VIP
55	16,14	4	3830-55-VIP
56	16,14	4	3830-56-VIP
57	16,14	4	3830-57-VIP
59	16,14	4	3830-59-VIP
60	16,14	4	3830-60-VIP
62	17,87	4	3830-62-VIP
64	17,87	4	3830-64-VIP
65	17,87	4	3830-65-VIP
67	17,87	4	3830-67-VIP
68	17,87	4	3830-68-VIP
70	17,87	4	3830-70-VIP
73	17,87	4	3830-73-VIP
76	19,78	4	3830-76-VIP
79	19,78	4	3830-79-VIP
83	19,78	4	3830-83-VIP
86	19,78	4	3830-86-VIP
89	19,78	4	3830-89-VIP
92	23,07	4	3830-92-VIP
95	25,17	4	3830-95-VIP
98	26,62	4	3830-98-VIP
102	28,07	4	3830-102-VIP
105	30,09	4	3830-105-VIP
108	35,20	4	3830-108-VIP
111	40,67	4	3830-111-VIP
114	45,14	4	3830-114-VIP
121	50,15	1	3830-121-VIP

Ø mm	€		
127	55,17	1	3830-127-VIP
133	59,73	1	3830-133-VIP
140	64,83	1	3830-140-VIP
146	68,20	1	3830-146-VIP
152	74,04	1	3830-152-VIP
168	97,38	1	3830-168
177	134,03	1	3830-177-HIGH
210	146,07	1	3830-210

Corona de sierra - en clip Sandflex® Bi-metal



3830-C

Ø mm	€		
14	9,40	1	3830-14-C
16	9,40	1	3830-16-C
17	9,40	1	3830-17-C
19	9,40	1	3830-19-C
20	9,40	1	3830-20-C
21	9,40	1	3830-21-C
22	9,40	1	3830-22-C
24	9,40	1	3830-24-C
25	9,87	1	3830-25-C
27	10,51	1	3830-27-C
29	10,51	1	3830-29-C
30	10,51	1	3830-30-C
32	10,51	1	3830-32-C
33	10,51	1	3830-33-C
35	11,79	1	3830-35-C
37	11,79	1	3830-37-C
38	11,79	1	3830-38-C
40	11,79	1	3830-40-C
41	11,79	1	3830-41-C
43	11,79	1	3830-43-C
44	13,63	1	3830-44-C
46	13,63	1	3830-46-C
48	13,63	1	3830-48-C
50	13,63	1	3830-50-C
51	13,63	1	3830-51-C
52	16,49	1	3830-52-C
54	16,49	1	3830-54-C
55	16,49	1	3830-55-C
56	16,49	1	3830-56-C
57	16,49	1	3830-57-C
59	16,49	1	3830-59-C
60	16,49	1	3830-60-C
64	18,17	1	3830-64-C
65	18,17	1	3830-65-C
67	18,17	1	3830-67-C
68	18,17	1	3830-68-C
70	18,17	1	3830-70-C
73	18,17	1	3830-73-C
76	20,28	1	3830-76-C
79	20,28	1	3830-79-C
83	20,28	1	3830-83-C
86	20,28	1	3830-86-C
89	20,28	1	3830-89-C



Ø mm	€		
92	23,42	1	3830-92-C
95	25,62	1	3830-95-C
98	27,10	1	3830-98-C
102	28,57	1	3830-102-C
105	30,59	1	3830-105-C
108	35,85	1	3830-108-C
111	41,38	1	3830-111-C
114	45,89	1	3830-114-C
121	51,05	1	3830-121-C
127	56,21	1	3830-127-C
133	60,91	1	3830-133-C
140	66,00	1	3830-140-C
146	69,29	1	3830-146-C
152	75,48	1	3830-152-C

Corona de sierra, dentado con plaquitas de metal duro (CT)



3832



Ø mm	€		
14	16,41	6	3832-14
16	16,41	6	3832-16
17	16,41	6	3832-17
19	16,41	6	3832-19
20	16,41	6	3832-20
21	16,41	6	3832-21
22	16,41	6	3832-22
24	16,41	6	3832-24
25	17,32	6	3832-25
27	18,50	6	3832-27
29	18,50	6	3832-29
30	18,50	6	3832-30
32	18,50	6	3832-32
33	18,50	6	3832-33
35	20,59	6	3832-35
37	20,59	6	3832-37
38	20,59	6	3832-38
40	20,59	6	3832-40
41	20,59	6	3832-41
43	20,59	6	3832-43
44	23,88	6	3832-44
46	23,88	6	3832-46
48	23,88	6	3832-48
51	23,88	6	3832-51
52	28,96	4	3832-52
54	28,96	4	3832-54
56	28,96	4	3832-56
57	28,96	4	3832-57
59	28,96	4	3832-59
60	28,96	4	3832-60
64	31,94	4	3832-64
65	31,94	4	3832-65
67	31,94	4	3832-67
68	31,94	4	3832-68
70	31,94	4	3832-70
73	31,94	4	3832-73
76	35,53	4	3832-76
79	35,53	4	3832-79
83	35,53	4	3832-83



Ø mm	€		
86	35,53	4	3832-86
89	35,53	4	3832-89
92	41,19	4	3832-92
95	45,07	4	3832-95
98	47,76	4	3832-98
102	50,14	4	3832-102
105	53,72	4	3832-105
108	62,98	4	3832-108
111	72,84	4	3832-111
114	80,89	4	3832-114
121	89,85	1	3832-121
127	98,81	1	3832-127
133	107,16	1	3832-133
140	116,12	1	3832-140
146	122,08	1	3832-146
152	132,83	1	3832-152

Corona multiuso



3833-C

mm	€		
19	10,86	1	3833-19-C
20	10,73	1	3833-20-C
22	10,84	1	3833-22-C
25	11,17	1	3833-25-C
27	11,66	1	3833-27-C
29	12,33	1	3833-29-C
30	12,17	1	3833-30-C
32	12,42	1	3833-32-C
35	13,93	1	3833-35-C
38	14,38	1	3833-38-C
40	14,18	1	3833-40-C
41	14,01	1	3833-41-C
44	16,66	1	3833-44-C
48	18,15	1	3833-48-C
51	17,07	1	3833-51-C
54	21,62	1	3833-54-C
57	22,05	1	3833-57-C
60	21,36	1	3833-60-C
64	20,44	1	3833-64-C
65	20,19	1	3833-65-C
67	20,71	1	3833-67-C
68	20,19	1	3833-68-C
70	20,66	1	3833-70-C
73	20,42	1	3833-73-C
76	23,28	1	3833-76-C
77	26,49	1	3833-77-C
79	20,29	1	3833-79-C
83	20,21	1	3833-83-C
86	19,63	1	3833-86-C
89	19,39	1	3833-89-C
92	22,65	1	3833-92-C
95	24,71	1	3833-95-C
98	25,54	1	3833-98-C
102	27,43	1	3833-102-C
105	29,05	1	3833-105-C
108	33,27	1	3833-108-C

mm	€		
109	33,48	1	3833-109-C
111	38,34	1	3833-111-C
114	43,72	1	3833-114-C
121	47,72	1	3833-121-C
127	54,33	1	3833-127-C
140	58,39	1	3833-140-C
152	67,43	1	3833-152-C
159	73,47	1	3833-159-C

Ideal para madera, plástico, ladrillo, yeso.



-C: Clip colgable con protector de dentado

ACCESORIOS PARA CORONAS DE SIERRA

Soporte de corona



3834-ARBR

Ø mm/mm	€		
14-30/6,4	9,70	1	3834-ARBR-630
14-30/6,4	10,18	1	3834-ARBR-630-C
14-30/6,4	7,75	1	3834-ARBR-730
14-30/6,4	8,15	1	3834-ARBR-730-C
14-30/8,5	9,70	1	3834-ARBR-930
14-30/8,5	10,18	1	3834-ARBR-930-C
14-30/11,1	11,19	1	3834-ARBR-1130
14-30/11,1	11,75	1	3834-ARBR-1130-C
32-100/8,5	20,30	1	3834-ARBR-9100
32-100/8,5	21,32	1	3834-ARBR-9100-C
32-100/8,5	17,32	1	3834-ARBR-9100QC
32-100/8,5	18,19	1	3834-ARBR-9100QC-C
32-210/11,1	20,30	1	3834-ARBR-11152
32-210/11,1	21,32	1	3834-ARBR-11152-C
32-210/11,1	17,32	1	3834-ARBR-11152QC
32-210/11,1	18,19	1	3834-ARBR-11152QC-C
32-210/15,4	20,30	1	3834-ARBR-16152
32-210/15,4	18,97	1	3834-ARBR-16152QC

Soporte para coronas con función eyectora



3834-ARBR-EL/ES

mm	€		
14-30/8,5	33,38	1	3834-ARBR-930ES
19-30/8,5	34,37	1	3834-ARBR-930EL
32-210/8,5	35,26	1	3834-ARBR-9100ES
32-159/8,5	34,95	1	3834-ARBR-9100EL

ES: Bimetal y metal duro (Ø14-30 // Ø32-210mm)

EL: Metal duro (Ø19-30 // Ø32-159mm)

Soporte de corona Para máquinas de cambio rápido



3834-ARBR-SD152QC

3834-ARBR-SD

Ø mm-mm	€		
14-30	11,94	1	3834-ARBR-SD30
32-210	21,50	1	3834-ARBR-SD152QC

Broca piloto para todo tipo de soportes



3834-DRL

Ø-mm	€		
6,35-84	4,63	1	3834-DRL

Broca piloto, para todo tipo de soporte



3834-DRL-CT

Ø-mm	€		
6,35-84	13,44	1	3834-DRL-CT

Broca piloto redonda con punta de metal duro



3834-DRL-ES

mm	€		
6,35 - 138	7,40	1	3834-DRL-ES

Para soportes 930ES y 9100ES

Broca piloto redonda con punta del metal duro



3834-DRL-EL

mm	€		
6,35 - 202	7,71	1	3834-DRL-EL

Para soportes 930EL y 9100EL

Broca piloto redonda con punta del metal duro



3834-DRL-L

mm	€		
6,35 - 81	7,50	1	3834-DRL-L

Para coronas metal duro

Prolongador



3834-EXT

Soportes	€		
1130,11152,11152QC	17,06	1	3834-EXT-1
930, 9100	17,06	1	3834-EXT-2

Muelle eyector



3834-ES

Soportes	€		
DRL	1,75	1	3834-ES

Adaptador para soporte



3834-ADP

referencias	€		
630,730,930,1130	5,27	1	3834-ADP

JUEGOS DE CORONAS DE SIERRA

Juego de coronas de sierra + soportes de corona



3834-42

mm	€		
	123,04	1	3834-SET-42

3830-VIP

51, 76, 86, 111 mm
3834-ARBR-9100 (32-100mm)

PD type

3834-ES

Juego de coronas de sierra + soportes para coronas



3834-53

€		
179,26	1	3834-SET-53

3830-VIP

19, 22, 25, 29, 30, 35, 37, 41, 52, 60, 79 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)

PD type

Juego de coronas de sierra + soportes para coronas



3834-61

€		
150,36	1	3834-SET-61

3830-VIP

44, 51, 57, 73, 86, 114 mm

3834-ARBR-9100 (32-100 mm)

PD type

Juego de coronas de sierra
+ soportes de corona



3834-62

€
100,53 1 3834-SET-62

3830-VIP

19, 21, 22, 29, 38, 48 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)

PD type

1 pce

Juego de coronas de sierra
+ soportes de corona



3834-65-16/51

mm €
112,09 1 3834-SET-65-16/51

3830-VIP

16, 20, 25, 32, 40, 51 mm

3834-ARBR-1130 (14-30 mm)

3834-ARBR-11152 (32-210 mm)

PD type

3834-DRL

1 pc.

Juego de coronas de sierra
+ soportes de corona



3834-72

mm €
134,00 1 3834-SET-72

3830-VIP

19, 22, 29, 35, 44, 51, 64 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)

PD type

Juego de coronas de sierra
+ soportes de corona



3834-62-16/50

€
96,08 1 3834-SET-62-16/50

3830-VIP

16, 20, 25, 32, 40, 50 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)

PD type

1 pce

Juego de coronas de sierra
+ soportes de corona



3834-65-22/64

mm €
124,73 1 3834-SET-65-22/64

3830-VIP

22, 29, 35, 44, 51, 64 mm

3834-ARBR-1130 (14-30 mm)

3834-ARBR-11152 (32-210 mm)

PD type

3834-DRL

Juego de coronas de sierra
+ soportes de corona



3834-73

€
166,60 1 3834-SET-73

3830-VIP

16, 22, 51, 57, 73, 76, 92 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)





PD type

Juego de coronas de sierra
+ soporte de coronas



3834-73-22/68

mm €  124,30 1 3834-SET-73-22/68






3830-VIP	
22, 29, 35, 44, 51, 64, 68 mm	
3834-ARBR-1130 (14-30 mm)	
3834-ARBR-11152 (32-100 mm)	
PD type	
3834-DRL	

Juego de coronas de sierra
+ soportes de corona



3834-86

€  220,65 1 3834-SET-86





3830-VIP	
25, 32, 35, 51, 54, 76, 92, 114 mm	
3834-ARBR-1130 (14-30 mm)	
3834-ARBR-11152 (32-210 mm)	
PD type	
3834-DRL	
3834-ADP	

Juego de coronas de sierra
+ soportes de corona



3834-87

mm €  154,22 1 3834-SET-87

3830-VIP	
19, 22, 29, 38, 43, 48, 52, 65 mm	
3834-ARBR-930 (14-30 mm)	
3834-ARBR-9100 (32-100 mm)	
PD Type	
3834-DRL	




3834-ES 

Juego de coronas de sierra
+ soportes de corona



3834-92


mm €  154,23 1 3834-SET-92




3830-VIP	
16, 22, 25, 29, 32, 41, 51, 73, 83 mm	
3834-ARBR-930 (14-30 mm)	
3834-ARBR-9100 (32-100 mm)	
PD type	

Juego de coronas de sierra
+ soportes de corona



3834-94

mm €  143,02 1 3834-SET-94





3830-VIP	
16, 19, 22, 25, 30, 35, 41, 51, 67 mm	
3834-ARBR-1130 (14-30 mm)	
3834-ARBR-11152 (32-210 mm)	
PD type	

Juego de coronas de sierra
+ soportes de corona



3834-95

mm €  151,22 1 3834-SET-95

3830-VIP	
16, 19, 22, 29, 35, 44, 52, 57, 64 mm	
3834-ARBR-1130 (14-30 mm)	
3834-ARBR-11152 (32-210 mm)	
PD type	
3834-DRL	
Pilot drill	

Juego de coronas de sierra
+ soportes para coronas



3834-103

€  
118,29 1 3834-SET-103

3830-VIP

16, 19, 24, 29, 38, 44, 57, 67 mm

3834-ARBR-930 (14-30 mm)

3834-ARBR-9100 (32-100 mm)

PD type



3834-DRL



HOJAS DE SABLE

Hoja de sable
Sandflex® Bi-Metal



3840 ST

Descripción	€		
100-R6	12,19	5	3840-100-6-ST-5P
100-R10	12,19	5	3840-100-10-ST-5P
100-R14	12,19	5	3840-100-14-ST-5P
100-R18	12,19	5	3840-100-18-ST-5P
100-R24	12,19	5	3840-100-24-ST-5P
150-R6	16,01	5	3840-150-6-ST-5P
150-8/12	16,01	5	3840-150-8/12-ST-5P
150-R10	16,01	5	3840-150-10-ST-5P
150-R14	16,01	5	3840-150-14-ST-5P
150-R18	16,01	5	3840-150-18-ST-5P
150-R24	16,01	5	3840-150-24-ST-5P
228-8/12	20,75	5	3840-228-8/12-ST-5P
228-R10	20,75	5	3840-228-10-ST-5P
228-R14	20,75	5	3840-228-14-ST-5P
228-R18	20,75	5	3840-228-18-ST-5P
300-R14	25,58	5	3840-300-14-ST-5P
300-R18	25,58	5	3840-300-18-ST-5P
100-R14	23,26	1	3840-100-14-ST-10P
100-R18	23,26	1	3840-100-18-ST-10P
100-R24	23,26	1	3840-100-24-ST-10P
150-R6	30,50	1	3840-150-6-ST-10P
150-8/12	30,50	1	3840-150-8/12-ST-10P
150-R10	30,50	1	3840-150-10-ST-10P
150-R14	30,50	1	3840-150-14-ST-10P

Descripción	€		
150-R18	30,50	1	3840-150-18-ST-10P
150-R24	30,50	1	3840-150-24-ST-10P
228-8/12	39,17	1	3840-228-8/12-ST-10P
228-R10	39,17	1	3840-228-10-ST-10P
228-R14	39,17	1	3840-228-14-ST-10P
228-R18	39,17	1	3840-228-18-ST-10P
300-R14	48,84	1	3840-300-14-ST-10P
300-R18	48,84	1	3840-300-18-ST-10P
150-8/12	289,32	1	3840-150-8/12-ST-100P
150-R10	289,32	1	3840-150-10-ST-100P
150-R14	289,32	1	3840-150-14-ST-100P
150-R18	289,32	1	3840-150-18-ST-100P
150-R24	289,32	1	3840-150-24-ST-100P
228-8/12	373,05	1	3840-228-8/12-ST-100P
228-R10	373,05	1	3840-228-10-ST-100P
228-R14	373,05	1	3840-228-14-ST-100P
228-R18	373,05	1	3840-228-18-ST-100P
300-R14	464,21	1	3840-300-14-ST-100P
300-R18	463,29	1	3840-300-18-ST-100P

Hoja de sable Sandflex® Bi-Metal



3840 SL

mm/dentado	€		
150 / 5/8	16,01	5	3840-150-5/8-SL-5P
228/6	20,75	5	3840-228-6-SL-5P
300/6	25,58	5	3840-300-6-SL-5P
300 / 8/12	25,58	5	3840-300-8/12-SL-5P
150 / 5/8	30,50	1	3840-150-5/8-SL-10P
228/6	39,17	1	3840-228-6-SL-10P
300/6	48,84	1	3840-300-6-SL-10P
300 / 8/12	48,84	1	3840-300-8/12-SL-10P
150 / 5/8	289,32	1	3840-150-5/8-SL-100P

Hoja Sandflex® Bi-Metal, contorneada



3840 SC

mm/dentado	€		
100/14	12,19	5	3840-100-14-SC-5P
100/18	12,19	5	3840-100-18-SC-5P
150 / 4/6	16,01	5	3840-150-4/6-SC-5P
150 / 4/6	30,50	1	3840-150-4/6-SC-10P

Forma inclinada / DSL





3840 DSL

mm-dientes	€		
150-5/8	16,75	5	3840-150-5/8-DSL-5P
228-5/8	21,58	5	3840-228-5/8-DSL-5P
300-5/8	26,88	5	3840-300-5/8-DSL-5P
150-5/8	31,91	1	3840-150-5/8-DSL-10P
228-5/8	41,30	1	3840-228-5/8-DSL-10P
300-5/8	51,26	1	3840-300-5/8-DSL-10P

Forma inclinada / HST



3840 HST

mm-dientes	€		
150-10	18,11	5	3840-150-10-HST-5P
150-14	18,38	5	3840-150-14-HST-5P
150-18	18,38	5	3840-150-18-HST-5P
228-10	22,59	5	3840-228-10-HST-5P
228-14	23,13	5	3840-228-14-HST-5P
228-18	22,78	5	3840-228-18-HST-5P
300-10	27,44	5	3840-300-10-HST-5P
300-14	27,52	5	3840-300-14-HST-5P
300-18	27,08	5	3840-300-18-HST-5P
150-10	32,81	1	3840-150-10-HST-10P
150-14	33,18	1	3840-150-14-HST-10P
150-18	33,18	1	3840-150-18-HST-10P
228-10	41,62	1	3840-228-10-HST-10P
228-14	42,51	1	3840-228-14-HST-10P
228-18	41,70	1	3840-228-18-HST-10P
300-10	48,87	1	3840-300-10-HST-10P
300-14	48,87	1	3840-300-14-HST-10P
300-18	47,88	1	3840-300-18-HST-10P

Forma inclinada / F&R



3840 F&R

mm-teeth	€		
228-10	30,55	5	3840-228-10-DSL-5P
228-10	55,11	1	3840-228-10-DSL-10P

Hoja Bi-Metal Sanflex® virtualmente irrompible
Para todo tipo de materiales y corte



3840-5/10

€	Icono	Icono
16,01	1	RECIP-SET-5
25,58	1	RECIP-SET-10

RECIP-SET-5

3840-100-14-SC, 3840-150-5/8-SL, 3840-150-14-ST, 3840-150-24-ST, 3842-150-7-SL

RECIP-SET-10

3840-100-6-ST, 3840-100-10-SC, 3840-100-18-SC, 3840-100-24-ST, 3840-150-5/8-SL, 3840-150-10-ST, 3840-150-14-ST, 3840-150-18-ST, 3840-150-24-ST, 3842-150-7-SL

Hoja de sable
Sandflex® Bi-Metal



3840

mm-dentado	€	Icono	Icono
228-10/14	28,20	1	3840-228-10/14-PR09-10P
228-10/14	38,80	1	3840-228-10/14-PR13-10P
228-10/14	281,88	1	3840-228-10/14-PR09-100P
228-10/14	387,93	1	3840-228-10/14-PR13-100P

Hoja de sable
Para madera - Estándar / SL



3842

mm-dientes	€	Icono	Icono
150-R7	17,39	5	3842-150-7-SL-5P
228-R7	21,21	5	3842-228-7-SL-5P
300-R7	24,09	5	3842-300-7-SL-5P
150-R7	32,37	1	3842-150-7-SL-10P
228-R7	39,17	1	3842-228-7-SL-10P
300-R7	44,85	1	3842-300-7-SL-10P

Hoja de sierra para talleres de automoción
Sandflex® Bi-metal



3845

mm-DPP	€	Icono	Icono
90-18	36,72	1	3845-18-10P
90-24	36,72	1	3845-24-10P
90-32	36,72	1	3845-32-10P

Hoja de sable
Polvo de carburo de tungsteno, Estándar / ST



ST

3846

mm-dientes	€	Icono	Icono
150-R6	22,15	5	3846-150-6-SL-1P
228-R3	21,58	5	3846-228-3-ST-1P
300-R3	28,20	5	3846-300-3-ST-1P
100-G	11,90	5	3846-100-G-ST-2P
150-G	12,83	5	3846-150-G-ST-2P

Hoja de acero inoxidable para corte de carne/huesos



3844

mm-dientes	€	Icono	Icono
300-R3	10,34	10	3844-300-3-MEAT-1P

HOJAS DE CALAR

Anclaje Europeo
Acero al carbono, para materiales blandos



91-W

dientesxmm	Ref. Bosch	€	Icono	Icono
8x116-D-F	T301 CDF	21,18	1	91-434-5P
6,4x152-D-G	T344 DF	21,65	1	91-444-5P
10x100-D-M	T111 C	5,25	1	91-023-5P
12,7x75-C-M	T119 BO	6,58	1	91-027-5P
6,4x100-D-G	T144 D	6,95	1	91-143-5P
6x100-C-G	T244 D	8,15	1	91-148-5P
10x100-D-F	T101 B	8,48	1	91-223-5P
10x100-D-F	T101 BR	10,24	1	91-226-5P
6x100-D-F	T101 D	8,48	1	91-243-5P
19x76-C-F	T101 AOF	15,52	1	91-412-5P
6x100-D-F	T144 DF	16,21	1	91-443-5P
8x116-D-F	T301 CD	9,85	1	91-233-5P

Anclaje europeo, acero al carbono
para madera y metal



91-623

91-WM

€	Icono	Icono
12,07	1	91-2PW-5P
15,09	1	91-4PWM-5P
15,33	1	91-623-5P

Anclaje europeo, acero al carbono



91-M

€	Icono	Icono
9,75	1	91-3PM-5P
11,34	1	91-433-5P
8,48	1	91-502-5P
8,48	1	91-512-5P
9,40	1	91-517-5P
8,48	1	91-522-5P
18,49	1	91-611-5P
11,61	1	91-612-5P
9,88	1	91-622-5P
18,74	1	91-7V1-5P

SIERRAS CIRCULARES

Sierra circular, corte rápido en madera



8501

mm/dentado	€		
125x20-16	19,61	1	8501-2
130x20-16	19,08	1	8501-3
140x20-16	19,71	1	8501-4
150x20-18	22,87	1	8501-5
160x20-18	22,65	1	8501-7
170x30-18	24,59	1	8501-10
180x30-20	25,74	1	8501-12
184x30-24	28,04	1	8501-13
190x30-20	29,57	1	8501-15
200x30-20	36,06	1	8501-16
210x30-20	35,86	1	8501-17
230x30-20	36,49	1	8501-22
235x30-30	36,91	1	8501-23
250x30-24	46,86	1	8501-28
300x30-30	61,66	1	8501-30
315x30-30	63,22	1	8501-31
400x30-40	83,25	1	8501-40

Sierra circular, corte preciso en madera
XF= dentado extra fino



8501-F / -XF

mm	€		
140x20-24	20,66	1	8501-4F
140x20-30	21,75	1	8501-4XF
150x20-30	24,59	1	8501-5F
160x20-30	24,22	1	8501-7F
170x30-30	26,32	1	8501-10F
180x30-40	30,26	1	8501-12F
184x30-40	29,83	1	8501-13F
190x30-40	32,35	1	8501-15F
200x30-40	39,42	1	8501-16F
210x30-40	40,79	1	8501-17F
230x30-40	42,04	1	8501-22F
235x30-40	42,57	1	8501-23F
250x30-40	48,81	1	8501-28F
250x30-60	54,00	1	8501-28XF
300x30-40	63,48	1	8501-30F
315x30-60	70,05	1	8501-30XF
315x30-40	69,78	1	8501-31F

Sierra circular, Aluminio & Plástico



8501-S

mm	Dentado	€		
210x30	48	40,68	1	8501-17S
216x30	48	43,20	1	8501-18S
250x30	80	64,53	1	8501-28S
300x30	96	83,09	1	8501-30S

Sierra circular, dentado 0°



8501-SW

mm	Dentado	€		
216x30	24	38,00	1	8501-16SW
216x30	48	40,52	1	8501-18SW
250x30	60	53,95	1	8501-28SW
300x30	60	70,26	1	8501-30SW

SIERRAS CIRCULARES ACERO RÁPIDO

Sierra circular acero rápido



3815-32-1

Ø-thick mm	Toothing	€		
200-2.0	BW3	81,68	1	3815-200-2.0-32-1-03BW
200-2.0	BW4	81,68	1	3815-200-2.0-32-1-04BW
225-2.0	BW3	96,52	1	3815-225-2.0-32-1-03BW
225-2.0	BW4	96,52	1	3815-225-2.0-32-1-04BW
225-2.0	BW5	96,52	1	3815-225-2.0-32-1-05BW
225-2.0	C6	96,52	1	3815-225-2.0-32-1-06C
250-2.0	BW3	108,53	1	3815-250-2.0-32-1-03BW
250-2.0	BWS3	108,53	1	3815-250-2.0-32-1-03BWS
250-2.0	BW4	108,53	1	3815-250-2.0-32-1-04BW
250-2.0	BWS4	108,53	1	3815-250-2.0-32-1-04BWS

Ø-thick mm	Toothing	€		
250-2.0	BW5	108,53	1	3815-250-2.0-32-1-05BW
250-2.0	C6	108,53	1	3815-250-2.0-32-1-06C
275-2.5	BW4	146,65	1	3815-275-2.5-32-1-04BW
275-2.5	BWS4	146,65	1	3815-275-2.5-32-1-04BWS
275-2.5	BW5	146,65	5	3815-275-2.5-32-1-05BW
275-2.5	C6	146,65	1	3815-275-2.5-32-1-06C
275-2.5	C8	146,65	1	3815-275-2.5-32-1-08C
300-2.5	BW4	180,82	1	3815-300-2.5-32-1-04BW
300-2.5	BW5	180,82	1	3815-300-2.5-32-1-05BW
300-2.5	C5	180,82	1	3815-300-2.5-32-1-05C
300-2.5	C6	180,82	1	3815-300-2.5-32-1-06C
300-2.5	C8	180,82	1	3815-300-2.5-32-1-08C
315-2.5	BW4	218,18	1	3815-315-2.5-32-1-04BW
315-2.5	BW5	218,18	1	3815-315-2.5-32-1-05BW
315-2.5	C6	218,18	1	3815-315-2.5-32-1-06C
315-2.5	C8	218,18	1	3815-315-2.5-32-1-08C
350-2.5	BW4	305,69	1	3815-350-2.5-32-1-04BW
350-2.5	C6	305,69	1	3815-350-2.5-32-1-06C

Sierra circular en acero rápido



3815-40-2

Ø-thick mm	Toothing	€		
250-2.0	BW3	108,53	1	3815-250-2.0-40-2-03BW
250-2.0	BW4	108,53	1	3815-250-2.0-40-2-04BW
250-2.0	BW5	108,53	1	3815-250-2.0-40-2-05BW
275-2.5	BW3	146,65	1	3815-275-2.5-40-2-03BW
275-2.5	BW4	146,65	1	3815-275-2.5-40-2-04BW
275-2.5	BW5	146,65	1	3815-275-2.5-40-2-05BW
275-2.5	C6	146,65	1	3815-275-2.5-40-2-06C
275-2.5	C8	146,65	1	3815-275-2.5-40-2-08C
315-2.5	BW4	218,18	1	3815-315-2.5-40-2-04BW
315-2.5	BW5	218,18	1	3815-315-2.5-40-2-05BW
315-3.0	C6	232,83	1	3815-315-3.0-40-2-06C

Sierra circular en acero rápido



3815-50-4

Ø-grosor mm	Dentado	€		
370-3.0	C8	305,69	1	3815-370-3.0-50-4-08C
370-3.0	C10	305,69	1	3815-370-3.0-50-4-10C
400-3.5	C10	401,83	1	3815-400-3.5-50-4-10C

