



IRIMO

3. HERRAMIENTAS DINAMOMÉTRICAS

Llaves dinamométricas

DINAMOMÉTRICA DE DISPARO AJUSTABLE CON CARRACA FIJA



- Precisión: $\pm 4\%$
- Cabeza fija
- Carraca reversible de 45 dientes con ángulo de acción 8°
- Mango de plástico para mayor confort
- ISO 6789

R			Nm	L mm	Δ Nm	kg	€
070411	1	1/4"	4-20	275	0.050	0,5	117,74
070421	1	3/8"	10-60	360	0.125	0,8	117,74
070431	1	1/2"	25-125	420	0.25	0,9	121,80
070441	1	1/2"	40-200	460	0.5	1,0	127,89
070451	1	1/2"	65-335	520	0.5	1,2	140,07
070461	1	3/4"	65-335	520	0.5	1,2	146,16
070471	1	3/4"	150-800	1.040	2	4,9	508,44
070481	1	1"	300-1500	1.250	3	8,2	1.013,24


DINAMOMÉTRICA DE DISPARO AJUSTABLE CON CABEZA INTERCAMBIABLE



- Precisión: $\pm 4\%$
- Cabezas intercambiables 9x12 y 14x18
- Mango de plástico para mayor confort
- ISO 6789

R			Nm	L mm	Δ Nm	kg	€
7309-30	1	9x12	6-30	298	0.050	0,6	103,59
7309-60	1	9x12	10-60	367	0.125	0,7	103,59
7309-125	1	9x12	25-125	422	0.25	0,8	118,14
7314-200	1	14x18	40-200	455	0.5	0,9	130,37
7314-335	1	14x18	65-335	515	0.5	1,1	141,11


CABEZA INTERCAMBIABLE DE BOCA ABIERTA 9x12 MM



- Cabeza intercambiable de boca abierta 9x12 mm
- Acero forjado cromado

R		S mm	A mm	B mm	C mm	g	€
7309-1-10	1	10	25	17,5	5,7	40	25,42
7309-1-11	1	11	26	17,5	5,7	40	25,42
7309-1-12	1	12	28	17,5	5,7	45	25,42
7309-1-13	1	13	29	17,5	5,7	45	25,42
7309-1-14	1	14	32	20,0	7,7	50	25,42
7309-1-17	1	17	38	20,0	7,7	60	25,42
7309-1-19	1	19	42	20,0	7,7	70	25,42


CABEZA INTERCAMBIABLE DE BOCA ESTRELLA 9x12 MM



- Cabeza intercambiable de boca estrella 9x12 mm
- Acero forjado cromado

R		S mm	A mm	B mm	C mm	g	€
7309-2-10	1	10	18	17,5	8	40	26,63
7309-2-11	1	11	19	17,5	8	40	26,63
7309-2-12	1	12	20	17,5	12	50	26,63
7309-2-13	1	13	21	17,5	12	50	26,63
7309-2-14	1	14	23	17,5	12	50	26,63
7309-2-17	1	17	27	17,5	13	50	26,63
7309-2-19	1	19	31	17,5	13	60	26,63
7309-2-22	1	22	35	17,5	15	80	26,63


**CABEZA INTERCAMBIABLE DE BOCA ABIERTA
14x18 MM**



- Cabeza intercambiable de boca abierta 14x18 mm
- Acero forjado cromado

R		S mm	A mm	B mm	C mm	g	€
7314-1-13	1	13	30	25,0	7	130	28,92
7314-1-14	1	14	31	25,0	7	130	28,92
7314-1-17	1	17	37	25,0	9	135	28,92
7314-1-19	1	19	41	25,0	9	140	28,92
7314-1-22	1	22	47	25,0	11	170	35,08
7314-1-24	1	24	51	25,0	11	180	35,08
7314-1-27	1	27	59	32,5	14	220	35,08
7314-1-30	1	30	63	32,5	14	240	39,26
7314-1-32	1	32	65	32,5	14	240	39,26


**CABEZA INTERCAMBIABLE DE BOCA ESTRELLA
14x18 MM**



- Cabeza intercambiable de boca estrella 14x18 mm
- Acero forjado cromado

R		S mm	A mm	B mm	C mm	g	€
7314-2-13	1	13	21	25	12	120	29,68
7314-2-14	1	14	23	25	12	120	29,68
7314-2-17	1	17	28	25	13	130	29,68
7314-2-19	1	19	30	25	13	140	29,68
7314-2-22	1	22	35	25	15	145	35,08
7314-2-24	1	24	38	25	15	145	35,08
7314-2-27	1	27	42	31	18	170	35,08
7314-2-30	1	30	45	31	18	180	39,87
7314-2-32	1	32	48	31	18	180	39,87
7314-2-36	1	36	53	31	19	205	39,87
7314-2-41	1	41	59	31	19	235	39,87

**CABEZA INTERCAMBIABLE DE CABEZA DE
CARRACA 9x12 Y 14x18 MM**



- Inserto cuadrado carraca de 1/4", 3/8" y 1/2" para 9x12 mm
- Inserto cuadrado carraca de 1/2" para 14x18 mm
- Número de dientes 45 con ángulo de acción 8°
- Acero forjado cromado

R		S mm	A mm	B mm	C mm	D mm	Max Nm	g	€
7309-1/4	1	1/4"	37	18	20	9x12	25	135	51,11
7309-3/8	1	3/8"	38	18	20	9x12	160	160	57,45
7309-1/2	1	1/2"	38	18	20	9x12	160	160	59,28
7314-1/2	1	1/2"	40	25	20	14x18	420	265	63,77

1

2

3

4

5

6

7

8

9

10

11

12